



# Antirutschmatte Cushion-Grip



- Top surface with raised pyramid configuration enhances traction while channeling liquids.
- Easy roll-up and clean-up.
- Made of tough PVC compound, designed to yield a long service life and resist to industrial oils.
- Drainage holes and raised studs provide aeration and allow fluids and debris to fall through, keeping the surface clear: Slot perforations (13 mm x 48 mm)
- Designed to withstand harsh chemicals, this mat offers simple solutions to almost any industrial or foodservice application.
- Aggressive slip resistant surface.
- Free of silicone therefore safe for vehicle painting facilities.
- Ergonomic benefit of 11 mm thickness worker platform
- Free of toxic DOP and DMF.

PRODUCT SPECIFICATIONS	
Designation	Industrial Matting
Type	Anti-slip
Description	Duckboard, pyramid configured top surface with slotted perforations, resistant to industrial oil
Material	100% PVC
Process	Injection moulding
Category	Good
Recommended use	Medium duty – industrial environments, wet/dry areas
Colours	Black
Weight	6.5 kg/m <sup>2</sup>
Thickness	11 mm
Standard sizes	91 cm x 122 cm 91 cm x 182 cm 91 cm x 300 cm 91 cm x 10 m
Custom sizes	60 cm, 91 cm, 122 cm, 182 cm per linear meter
Special remarks	Easy to roll-up and clean-up

PRODUCT TESTING		
Tests	Norms	Results
Compression deflection	U.S.	
	1.4 kg/cm <sup>2</sup>	
	2.8 kg/cm <sup>2</sup>	
Foam battery	ASTM D3574	
Abrasion resistance	ASTM D3884-01	
	500 Cycles	
	5000 Cycles	0.05 % weight loss
Static coefficient of friction	ASTM C1028-96	0.70
Elongation	ASTM D412	
Breaking load	ASTM D412	
Graves tear strength	ASTM D 1004	
Hardness	ASTM D2240-02	
Anti-slip	DIN 51130 and BG-RULE BGR181	

FIRE TESTING			
	Critical radiant flux	ASTM E-648	0.94 watts/cm <sup>2</sup>
	Fire retardancy	DIN4102 EN 13501-1	
	Flammability test	ASTM D2859	Pass
ESD		ANSI ESD S7.1 50% Humidity	
Sustainability		<ul style="list-style-type: none"> <li>• Recyclable material</li> <li>• Reach Compliant (Registration, Evaluation, Authorization and Restriction of Chemicals)</li> </ul>	

Zu beziehen bei:  
 Werkzeug-Profi.net | Matten-Zuschnitt.de  
 info@werkzeug-profi.net, 0 63 59/96 11 906